Supplementary Material 1: Detailed list of the retrieved publications found in the PubMed Database from 1 Jan 2009 to 31 Dec 2025 (retrieved on 25 June 2026)

1. McGowan CM, Cantley LF, Klein R, Redlich CA. Work Practices and Respirable Crystalline Silica Exposures in Stone Countertop Fabrication Shops. *Am J Ind Med. 2025;68(11):973-987. doi:*10.1002/ajim.70020
2. Churg A, Muller NL. Update on Silicosis. *Surg Pathol Clin. 2024;17(2):193-202. doi:*10.1016/j.path.2023.11.005
3. Leong TL, Wimaleswaran H, Williams DS, Goh NS, Hoy RF. Unexpected case of accelerated silicosis in a female quarry worker. *Occup Med (Lond). 2022;72(6):420-423. doi:*10.1093/occmed/kqac016
4. Ramkissoon C, Song Y, Yen S, et al. Understanding the pathogenesis of engineered stone-associated silicosis: The effect of particle chemistry on the lung cell response. *Respirology. 2024;29(3):217-227. doi:*10.1111/resp.14625
5. Barnes H, Lam M, Tate MD, Hoy R. Toward targeted treatments for silicosis. *Curr Opin Pulm Med. 2024;30(2):185-194. doi:*10.1097/MCP.0000000000001020
6. Hoy RF, Tomic D, Gwini S, et al. The Rapid Rise of Silicosis in Victoria, Australia Associated With Artificial Stone Countertop Industry Work. *Am J Ind Med. 2025;68(4):358-367. doi:*10.1002/ajim.23704
7. Chang D, Ding C, Ye Q, Wang S. [The incidence of artificial stone-related silicosis among interior decoration workers in different countries]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2023;41(7):555-557. doi:*10.3760/cma.j.cn121094-20220704-00349
8. Pavan C, Fimiani M, Cananà S, et al. The Combined Role of Silanols and Oxidative Stress in Determining Engineered Stone Dust Toxicity. *ACS Org Inorg Au. 2026;6(1):76-87. doi:*10.1021/acsorginorgau.5c00089
9. Cavalin C, Menéndez-Navarro A, Lescoat A. The Banning of Engineered Stone in Australia: An Evidence-Based and Precautionary Policy. *Int J Soc Determinants Health Health Serv. 2025;55(4):415-423. doi:*10.1177/27551938251314656
10. Cavalin C, Menéndez-Navarro A, León-Jiménez A, Lecureur V, Lescoat A. The ban on engineered stone in Australia: a milestone in the fight against emerging silica hazards. *Eur Respir J. 2024;63(6):2400138. doi:*10.1183/13993003.00138-2024
11. Song Y, Yen S, Southam K, Gaskin S, Hoy RF, Zosky GR. The aryl hydrocarbon receptor pathway is a marker of lung cell activation but does not play a central pathologic role in engineered stone-associated silicosis. *J Appl Toxicol. 2024;44(10):1518-1527. doi:*10.1002/jat.4653
12. Zhou S, Shi J, Chen Z, Bian L, Huang L, Mao L. Tetrandrine slows disease progression on high-resolution computed tomography and lung function decline in artificial stone-associated silicosis: a retrospective cohort study. *BMC Pulm Med. 2025;25(1):343. doi:*10.1186/s12890-025-03821-8
13. Rosengarten D, Fox BD, Fireman E, et al. Survival following lung transplantation for artificial stone silicosis relative to idiopathic pulmonary fibrosis. *Am J Ind Med. 2017;60(3):248-254. doi:*10.1002/ajim.22687
14. Hsu SC, Chen YJ, Fan HY, Wang CW, Lee HJ, Tsao YC. Successful lung transplantation for artificial stone-associated accelerated silicosis: a case report. *Ind Health. 2024;62(3):209-214. doi:*10.2486/indhealth.2023-0093
15. Chen CH, Tsai PJ, Chang WW, Chen CY, Chen CY, Guo YL. Subpleural curvilinear lines as an early indicator of silicosis in artificial stone workers. *Pulmonology. 2024;30(2):174-176. doi:*10.1016/j.pulmoe.2023.08.006
16. Newbigin K, Parsons R, Deller D, Edwards R, McBean R. Stonemasons with silicosis: Preliminary findings and a warning message from Australia. *Respirology. 2019;24(12):1220-1221. doi:*10.1111/resp.13672
17. Dotan M, Rosengarten D, Azem K, et al. Single versus double lung transplantation outcomes in artificial stone silicosis: a single-centre retrospective cohort study. *BMJ Open Respir Res. 2025;12(1):e002703. doi:*10.1136/bmjresp-2024-002703
18. Martínez C, Prieto A, García L, Quero A, González S, Casan P. Silicosis: a disease with an active present. *Arch Bronconeumol. 2010;46(2):97-100. doi:*10.1016/j.arbres.2009.07.008
19. Zhang Y, Rajaram N, Lau A, et al. Silicosis, asbestosis, and pulmonary fibrosis in Ontario, Canada from 1996 to 2019. *Am J Ind Med. 2023;66(8):670-678. doi:*10.1002/ajim.23504
20. Flattery J, Woolsey C, Fazio JC, et al. Silicosis Surveillance in California, 2019-2024: Tracking an Epidemic. *Am J Public Health. 2025;115(11):1913-1921. doi:*10.2105/AJPH.2025.308225
21. Bang KM, Mazurek JM, Wood JM, et al. Silicosis mortality trends and new exposures to respirable crystalline silica - United States, 2001-2010. *MMWR Morb Mortal Wkly Rep. 2015;64(5):117-120.*
22. *Reynolds C, Ross C, Cullinan P, Blanc P. Silicosis initially presenting with empyema. Occup Med (Lond). 2024;74(6):458-460. doi:*10.1093/occmed/kqae047
23. Paolucci V, Romeo R, Sisinni AG, Bartoli D, Mazzei MA, Sartorelli P. Silicosis in Workers Exposed to Artificial Quartz Conglomerates: Does It Differ From Chronic Simple Silicosis? *Arch Bronconeumol. 2015;51(12):e57-60. doi:*10.1016/j.arbres.2014.12.010
24. García Vadillo C, Gómez JS, Morillo JR. Silicosis in quartz conglomerate workers. *Arch Bronconeumol. 2011;47(1):53. doi:*10.1016/j.arbres.2010.09.005
25. Guarnieri G, Salasnich M, Lucernoni P, et al. Silicosis in finishing workers in quartz conglomerates processing. *Med Lav. 2020;111(2):99-106. doi:*10.23749/mdl.v111i2.9115
26. Jones CM, Pasricha SS, Heinze SB, MacDonald S. Silicosis in artificial stone workers: Spectrum of radiological high-resolution CT chest findings. *J Med Imaging Radiat Oncol. 2020;64(2):241-249. doi:*10.1111/1754-9485.13015
27. Martínez González C, Prieto González A, García Alfonso L, et al. Silicosis in Artificial Quartz Conglomerate Workers. *Arch Bronconeumol (Engl Ed). 2019;55(9):459-464. doi:*10.1016/j.arbres.2019.01.017
28. Pérez-Alonso A, Córdoba-Doña JA, León-Jiménez A. Silicosis Caused by Artificial Quartz Conglomerates: Keys to Controlling an Emerging Disease. *Arch Bronconeumol (Engl Ed). 2019;55(7):394-395. doi:*10.1016/j.arbres.2019.01.015
29. Fazio JC, Gandhi SA, Flattery J, et al. Silicosis Among Immigrant Engineered Stone (Quartz) Countertop Fabrication Workers in California. *JAMA Intern Med. 2023;183(9):991-998. doi:*10.1001/jamainternmed.2023.3295
30. Reynolds K, Jerome J. Silicosis. *Workplace Health Saf. 2021;69(1):51. doi:*10.1177/2165079920967923
31. Baum L, Arnold TC. Silicosis. In: *StatPearls. StatPearls Publishing; 2026. Accessed June 26, 2026.* http://www.ncbi.nlm.nih.gov/books/NBK594245/
32. Hua JT, Cool CD, Fireman Klein E, et al. Silicosarcoidosis: Histologic and Clinical Features of an Occupational Granulomatous Disease. *Am J Ind Med. 2025;68(6):491-507. doi:*10.1002/ajim.23724
33. Hoy RF, Chambers DC. Silica-related diseases in the modern world. *Allergy. 2020;75(11):2805-2817. doi:*10.1111/all.14202
34. Fazio JC, Garcia SR, Torres IR, et al. Silica Hazards in Engineered Stone Countertop Production: Worker Experiences and Challenges in Los Angeles. *Am J Ind Med. 2025;68(10):867-880. doi:*10.1002/ajim.70010
35. Glass DC, Dimitriadis C, Hansen J, Hoy RF, Hore-Lacy F, Sim MR. Silica Exposure Estimates in Artificial Stone Benchtop Fabrication and Adverse Respiratory Outcomes. *Ann Work Expo Health. 2022;66(1):5-13. doi:*10.1093/annweh/wxab044
36. Turner MT, Samuel SR, Silverstone EJ, Yates DH. Silica Exposure and Connective Tissue Disease: An Underrecognized Association in Three Australian Artificial Stone Workers. *Am J Respir Crit Care Med. 2020;201(3):378-380. doi:*10.1164/rccm.201905-1057LE
37. Kromhout H, van Tongeren M, Cherrie JW. Should engineered stone products be banned? *Occup Environ Med. 2024;81(7):329-330. doi:*10.1136/oemed-2024-109708
38. Rose C, Heinzerling A, Patel K, et al. Severe Silicosis in Engineered Stone Fabrication Workers - California, Colorado, Texas, and Washington, 2017-2019. *MMWR Morb Mortal Wkly Rep. 2019;68(38):813-818. doi:*10.15585/mmwr.mm6838a1
39. Hoy RF, Hansen J, Glass DC, Dimitriadis C, Hore-Lacy F, Sim MR. Serum angiotensin converting enzyme elevation in association with artificial stone silicosis. *Respir Med. 2021;177:106289. doi:*10.1016/j.rmed.2020.106289
40. Hore-Lacy F, Dimitriadis C, Hoy RF, et al. Screening Workers for Occupational Exposure to Respirable Crystalline Silica: Development and Usability of an Electronic Data Capture Tool. *JMIR Hum Factors. 2025;12:e64111. doi:*10.2196/64111
41. Quan H, Wu W, Yang G, et al. Risk Factors of Silicosis Progression: A Retrospective Cohort Study in China. *Front Med (Lausanne). 2022;9:832052. doi:*10.3389/fmed.2022.832052
42. Hua JT, Zell-Baran L, Go LHT, et al. Response to: Correspondence on "Demographic, exposure and clinical characteristics in a multinational registry of engineered stone workers with silicosis" by Hoy et al. *Occup Environ Med. 2022;79(12):849-850. doi:*10.1136/oemed-2022-108512
43. Hoy RF, Yates DH. Response to: "Artificial stone-associated silicosis in the UK" by Barber et al. *Occup Environ Med. 2018;75(7):541-542. doi:*10.1136/oemed-2018-105092
44. Tomic D, Hoy RF, Abramson MJ, et al. Respiratory symptoms, airflow obstruction and asthma in a cohort of workers from the stone benchtop industry. *Occup Environ Med. 2025;82(6):278-284. doi:*10.1136/oemed-2025-110161
45. Wood C, Yates D. Respiratory surveillance in mineral dust-exposed workers. *Breathe (Sheff). 2020;16(1):190632. doi:*10.1183/20734735.0362-2019
46. Perret JL, Miles S, Brims F, et al. Respiratory surveillance for coal mine dust and artificial stone exposed workers in Australia and New Zealand: A position statement from the Thoracic Society of Australia and New Zealand. *Respirology. 2020;25(11):1193-1202. doi:*10.1111/resp.13952
47. Cooper JH, Johnson DL, Phillips ML. Respirable silica dust suppression during artificial stone countertop cutting. *Ann Occup Hyg. 2015;59(1):122-126. doi:*10.1093/annhyg/meu083
48. Seneviratne M, Shankar K, Cantrell P, Nand A. Respirable Silica Dust Exposure of Migrant Workers Informing Regulatory Intervention in Engineered Stone Fabrication. *Saf Health Work. 2024;15(1):96-101. doi:*10.1016/j.shaw.2024.01.003
49. Soo JC, Houlroyd J, Warren H, Philpot BJ, Castillo S. Respirable dust and respirable crystalline silica exposures among workers at stone countertop fabrication shops in Georgia from 2017 through 2023. *Ann Work Expo Health. 2025;69(5):473-485. doi:*10.1093/annweh/wxaf014
50. Ren Y, Yu M, Chen JQ. [Research progress on lung tissue damage caused by artificial quartz stone dust]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2021;39(2):157-160. doi:*10.3760/cma.j.cn121094-20200623-00361
51. Leso V, Fontana L, Romano R, Gervetti P, Iavicoli I. Reply to Accelerated Silicosis-An Emerging Epidemic Associated with Engineered Stone. Comment on Leso, V. et al. Artificial Stone-Associated Silicosis: A Systematic Review. Int. J. Environ. Res. Public Health 2019, 16(4), 568, doi:10.3390/ijerph16040568. *Int J Environ Res Public Health. 2019;16(7):1201. doi:*10.3390/ijerph16071201
52. Baker MJ, Gordon J, Thiruvarudchelvan A, Yates D, Donald WA. Rapid, non-invasive breath analysis for enhancing detection of silicosis using mass spectrometry and interpretable machine learning. *J Breath Res. 2025;19(2). doi:*10.1088/1752-7163/adbc11
53. Chambers DC, Apte SH, Deller D, et al. Radiological outcomes of whole lung lavage for artificial stone-associated silicosis. *Respirology. 2021;26(5):501-503. doi:*10.1111/resp.14018
54. Grubstein A, Shtraichman O, Fireman E, Bachar GN, Noach-Ophir N, Kramer MR. Radiological Evaluation of Artificial Stone Silicosis Outbreak: Emphasizing Findings in Lung Transplant Recipients. *J Comput Assist Tomogr. 2016;40(6):923-927. doi:*10.1097/RCT.0000000000000454
55. Heinzerling A, Cummings KJ, Flattery J, Weinberg JL, Materna B, Harrison R. Radiographic Screening Reveals High Burden of Silicosis among Workers at an Engineered Stone Countertop Fabrication Facility in California. *Am J Respir Crit Care Med. 2021;203(6):764-766. doi:*10.1164/rccm.202008-3297LE
56. Fireman E, Mahamed AE, Rosengarten D, Ophir NN, Kramer MR. Quantitation of Silica Contents in Lung Explants of Transplanted Patients: Artificial Stone-Induced Silicosis vs. Idiopathic Pulmonary Fibrosis. *Int J Environ Res Public Health. 2021;18(14):7237. doi:*10.3390/ijerph18147237
57. Mandler WK, Qi C, Thompson D, et al. Pulmonary inflammatory and fibrogenic responses in rats following intratracheal instillation of dusts from natural and engineered stones. *J Toxicol Environ Health A. 2026;89(8):363-382. doi:*10.1080/15287394.2025.2571405
58. Weissman DN. Progressive massive fibrosis: An overview of the recent literature. *Pharmacol Ther. 2022;240:108232. doi:*10.1016/j.pharmthera.2022.108232
59. Pascual S, Urrutia I, Ballaz A, Arrizubieta I, Altube L, Salinas C. Prevalence of silicosis in a marble factory after exposure to quartz conglomerates. *Arch Bronconeumol. 2011;47(1):50-51. doi:*10.1016/j.arbres.2010.09.004
60. Hoy RF, Dimitriadis C, Abramson M, et al. Prevalence and risk factors for silicosis among a large cohort of stone benchtop industry workers. *Occup Environ Med. 2023;80(8):439-446. doi:*10.1136/oemed-2023-108892
61. Hore-Lacy F, Hansen J, Dimitriadis C, et al. Predictors of psychological stress in silica-exposed workers in the artificial stone benchtop industry. *Respirology. 2022;27(6):455-461. doi:*10.1111/resp.14257
62. Campos-Caro A, Jiménez-Gómez G, García-Núñez A, Hidalgo-Molina A, León-Jiménez A. Plasma Cytokine Profiling Reveals Differences between Silicotic Patients with Simple Silicosis and Those with Progressive Massive Fibrosis Caused by Engineered Stone. *Int J Mol Sci. 2023;24(2):1541. doi:*10.3390/ijms24021541
63. Ramkissoon C, Pavan C, Petriglieri JR, et al. Physico-chemical features and membranolytic activity of dust from low or no crystalline silica engineered stone with implications for toxicological assessment. *Sci Rep. 2025;15(1):25451. doi:*10.1038/s41598-025-10460-w
64. Ronsmans S, Goeminne P, Jerjir N, et al. Outbreak of Silicosis in Workers Producing Artificial Stone Skirting Boards: A Novel Application of Silica-Based Composites. *Chest. 2022;162(2):406-409. doi:*10.1016/j.chest.2022.03.039
65. Pérez-Alonso A, Córdoba-Doña JA, Millares-Lorenzo JL, Figueroa-Murillo E, García-Vadillo C, Romero-Morillos J. Outbreak of silicosis in Spanish quartz conglomerate workers. *Int J Occup Environ Health. 2014;20(1):26-32. doi:*10.1179/2049396713Y.0000000049
66. Shtraichman O, Blanc PD, Ollech JE, et al. Outbreak of autoimmune disease in silicosis linked to artificial stone. *Occup Med (Lond). 2015;65(6):444-450. doi:*10.1093/occmed/kqv073
67. Tefera Y, Cole K, Ramkissoon C, et al. Opening the policy window: how Australia banned engineered stone. *Public Health Res Pract. 2025;35(4):PU25031. doi:*10.1071/PU25031
68. Robinson R, Hua JT, Lee B, et al. One-year lung transplantation outcomes for engineered stone countertop workers with silicosis at a single center in Southern California, 2019 to 2023. *JHLT Open. 2025;9:100280. doi:*10.1016/j.jhlto.2025.100280
69. Fazen LE, Linde B, Redlich CA. Occupational lung diseases in the 21st century: the changing landscape and future challenges. *Curr Opin Pulm Med. 2020;26(2):142-148. doi:*10.1097/MCP.0000000000000658
70. Hoy RF, Brims F. Occupational lung diseases in Australia. *Med J Aust. 2017;207(10):443-448. doi:*10.5694/mja17.00601
71. Salamon F, Martinelli A, Vianello L, et al. Occupational exposure to crystalline silica in artificial stone processing. *J Occup Environ Hyg. 2021;18(12):547-554. doi:*10.1080/15459624.2021.1990303
72. Nikpour M, Morrisroe K, Calderone A, Yates D, Silman A. Occupational dust and chemical exposures and the development of autoimmune rheumatic diseases. *Nat Rev Rheumatol. 2025;21(3):137-156. doi:*10.1038/s41584-024-01216-3
73. Friedman GK, Harrison R, Bojes H, Worthington K, Filios M, Centers for Disease Control and Prevention (CDC). Notes from the field: silicosis in a countertop fabricator - Texas, 2014. *MMWR Morb Mortal Wkly Rep. 2015;64(5):129-130.*
74. *Izhakian S, Slobodscoy Ignatov L, Gorenshtein A, et al. Non-tuberculous Mycobacterium Infection Associated with Artificial Stone Silicosis: A Case Series. Isr Med Assoc J. 2025;27(12):800-805.*
75. *Guarnieri G, Bizzotto R, Gottardo O, et al. Multiorgan accelerated silicosis misdiagnosed as sarcoidosis in two workers exposed to quartz conglomerate dust. Occup Environ Med. 2019;76(3):178-180. doi:*10.1136/oemed-2018-105462
76. Priego-Torres B, Sopo-Lambea I, Khalili E, et al. Multimodal Fusion of Chest X-Rays and Blood Biomarkers for Automated Silicosis Staging. *J Clin Med. 2025;14(22):8074. doi:*10.3390/jcm14228074
77. Maharjan P, Crea J, Tkaczuk M, Gaskin S, Pisaniello D. Metal Ion Release from Engineered Stone Dust in Artificial Lysosomal Fluid-Variation with Time and Stone Type. *Int J Environ Res Public Health. 2021;18(12):6391. doi:*10.3390/ijerph18126391
78. Hore-Lacy F, Gwini SM, Dimitriadis C, et al. Measuring improvements in occupational health and safety in the artificial stone benchtop industry. *Ann Work Expo Health. 2025;69(1):5-16. doi:*10.1093/annweh/wxae084
79. DeVaughn A, Go LHT, Cohen RA, Shao Y. Investigation of occupational exposure to respirable crystalline silica (RCS) among engineered stone fabricators in Chicago-A pilot study. *J Occup Environ Hyg. 2025;22(2):101-109. doi:*10.1080/15459624.2024.2421488
80. Sanchez-Morillo D, León-Jiménez A, Guerrero-Chanivet M, Jiménez-Gómez G, Hidalgo-Molina A, Campos-Caro A. Integrating routine blood biomarkers and artificial intelligence for supporting diagnosis of silicosis in engineered stone workers. *Bioeng Transl Med. 2024;9(6):e10694. doi:*10.1002/btm2.10694
81. García-Núñez A, Jiménez-Gómez G, Hidalgo-Molina A, Córdoba-Doña JA, León-Jiménez A, Campos-Caro A. Inflammatory indices obtained from routine blood tests show an inflammatory state associated with disease progression in engineered stone silicosis patients. *Sci Rep. 2022;12(1):8211. doi:*10.1038/s41598-022-11926-x
82. Hoy RF, Glass DC, Dimitriadis C, Hansen J, Hore-Lacy F, Sim MR. Identification of early-stage silicosis through health screening of stone benchtop industry workers in Victoria, Australia. *Occup Environ Med. 2021;78(4):296-302. doi:*10.1136/oemed-2020-106897
83. Ophir N, Bar-Shai A, Kramer MR, Grubstein A, Shani Israeli L, Fireman E. HO-1 protects smokers exposed to artificial stone dust for pulmonary function tests deterioration. *Sarcoidosis Vasc Diffuse Lung Dis. 2018;35(3):276-284. doi:*10.36141/svdld.v35i3.6968
84. León-Jiménez A, Rodríguez-Rubio Corona J, Jiménez-Gómez G, et al. High metabolic activity in positron emission tomography and systemic inflammation occurring years after exposure cessation in engineered stone silicosis. *Sci Rep. 2025;15(1):25364. doi:*10.1038/s41598-025-10562-5
85. Mandler WK, Qi C, Qian Y. Hazardous dusts from the fabrication of countertop: a review. *Arch Environ Occup Health. 2023;78(2):118-126. doi:*10.1080/19338244.2022.2105287
86. Zhang S, Xiong J, Ruan X, Ji C, Lu H. Global burden of pneumoconiosis from 1990 to 2021: a comprehensive analysis of incidence, mortality, and socio-demographic inequalities in 204 countries and territories. *Front Public Health. 2025;13:1579851. doi:*10.3389/fpubh.2025.1579851
87. Ophir N, Bar Shai A, Korenstein R, Kramer MR, Fireman E. Functional, inflammatory and interstitial impairment due to artificial stone dust ultrafine particles exposure. *Occup Environ Med. 2019;76(12):875-879. doi:*10.1136/oemed-2019-105711
88. Ramkissoon C, Gaskin S, Song Y, Pisaniello D, Zosky GR. From Engineered Stone Slab to Silicosis: A Synthesis of Exposure Science and Medical Evidence. *Int J Environ Res Public Health. 2024;21(6):683. doi:*10.3390/ijerph21060683
89. Wang H, Zhou S, Liu Y, et al. Exploration study on serum metabolic profiles of Chinese male patients with artificial stone silicosis, silicosis, and coal worker's pneumoconiosis. *Toxicol Lett. 2022;356:132-142. doi:*10.1016/j.toxlet.2021.11.011
90. Johnson DL, Phillips ML, Qi C, Van AT, Hawley DA. Experimental Evaluation of Respirable Dust and Crystalline Silica Controls During Simulated Performance of Stone Countertop Fabrication Tasks With Powered Hand Tools. *Ann Work Expo Health. 2017;61(6):711-723. doi:*10.1093/annweh/wxx040
91. Martínez-González D, Carballo-Menéndez M, Guzmán-Taveras R, Quero-Martínez A, Fernández-Tena A. Evaluating silicosis risk: Assessing dust constitution and influence of water as a primary prevention measure in cutting and polishing of silica agglomerates, granite and marble. *Environ Res. 2024;251(Pt 2):118773. doi:*10.1016/j.envres.2024.118773
92. Hua JT, Rose CS, Redlich CA. Engineered Stone-Associated Silicosis-A Lethal Variant of an Ancient Disease. *JAMA Intern Med. 2023;183(9):908-910. doi:*10.1001/jamainternmed.2023.3260
93. León-Jiménez A, Martínez-González C, Cohen RA. Engineered Stone and Silicosis: An Acceptable Risk? *Arch Bronconeumol. 2025;61(5):259-260. doi:*10.1016/j.arbres.2025.01.015
94. RenChen X, Wang W, Lu Y. Emerging trends in silicosis research: a scientometric review. *Environ Sci Pollut Res Int. 2023;30(53):113280-113296. doi:*10.1007/s11356-023-30418-7
95. Surasi K, Ballen B, Weinberg JL, et al. Elevated exposures to respirable crystalline silica among engineered stone fabrication workers in California, January 2019-February 2020. *Am J Ind Med. 2022;65(9):701-707. doi:*10.1002/ajim.23416
96. Barnes H, Pilcher D, Coull J, et al. Efficacy and safety of a whole lung lavage program for artificial stone silicosis. *J Thorac Dis. 2024;16(11):7630-7639. doi:*10.21037/jtd-24-1050
97. Pavan C, Polimeni M, Tomatis M, et al. Editor's Highlight: Abrasion of Artificial Stones as a New Cause of an Ancient Disease. Physicochemical Features and Cellular Responses. *Toxicol Sci. 2016;153(1):4-17. doi:*10.1093/toxsci/kfw101
98. Shitrit D, Adir Y, Avriel A, et al. EBUS-TBNA is Sufficient for Successful Diagnosis of Silicosis with Mediastinal Lymphadenopathy. *Lung. 2018;196(4):441-445. doi:*10.1007/s00408-018-0129-3
99. Chen CH, Tsai PJ, Chang WW, et al. Dose-response relationship between lung function and chest imaging response to silica exposures in artificial stone manufacturing workers. *Environ Health. 2024;23(1):25. doi:*10.1186/s12940-024-01067-1
100. Wise J. Doctors call for ban on cutting artificial stone after reporting first UK cases of silicosis. *BMJ. 2024;386:q1755. doi:*10.1136/bmj.q1755
101. Hua JT, Zell-Baran L, Go LHT, et al. Demographic, exposure and clinical characteristics in a multinational registry of engineered stone workers with silicosis. *Occup Environ Med. 2022;79(9):586-593. doi:*10.1136/oemed-2021-108190
102. Heinzerling A, Harrison R, Flattery J, Fazio JC, Gandhi S, Cummings KJ. Deadly Countertops: An Urgent Need to Eliminate Silicosis among Engineered Stone Workers. *Am J Respir Crit Care Med. 2025;211(4):557-559. doi:*10.1164/rccm.202410-2008VP
103. Sanchez-Morillo D, Martín-Carrillo A, Priego-Torres B, et al. Cytokine Profiles as Predictive Biomarkers of Disease Severity and Progression in Engineered Stone Silicosis: A Machine Learning Approach. *Diagnostics (Basel). 2025;15(18):2413. doi:*10.3390/diagnostics15182413
104. Hoy RF, Jeebhay MF, Cavalin C, et al. Current global perspectives on silicosis-Convergence of old and newly emergent hazards. *Respirology. 2022;27(6):387-398. doi:*10.1111/resp.14242
105. Lam M, Tate MD. Crystalline killer: the molecular cascade of silica toxicity from inflammation to fibrosis. *Curr Opin Allergy Clin Immunol. 2026;26(2):77-83. doi:*10.1097/ACI.0000000000001124
106. Tomic D, Hoy RF, Berecki-Gisolf J, et al. Counting the Costs of Silicosis in Victoria, Australia, 2019-2024, With Projections to 2031. *Am J Ind Med. 2025;68(12):1105-1114. doi:*10.1002/ajim.70030
107. Hoy RF, Sim MR. Correspondence on "Demographic, exposure and clinical characteristics in a multinational registry of engineered stone workers with silicosis" by Hua et al. *Occup Environ Med. Published online June 23, 2022:oemed-2022-108496. doi:*10.1136/oemed-2022-108496
108. Liu L, Huang LM, Tian HX, Mao L. [Correlation between CT fibrosis score and pulmonary function in artificial stone-associated silicosis]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2025;43(11):801-806. doi:*10.3760/cma.j.cn121094-20250220-00069
109. Correction to: Respirable Silica Dust Suppression During Artificial Stone Countertop Cutting. *Ann Work Expo Health. 2024;68(5):556. doi:*10.1093/annweh/wxae036
110. León-Jiménez A, Mánuel JM, García-Rojo M, et al. Compositional and structural analysis of engineered stones and inorganic particles in silicotic nodules of exposed workers. *Part Fibre Toxicol. 2021;18(1):41. doi:*10.1186/s12989-021-00434-x
111. Matar E, Frankel A, Blake LKM, Silverstone EJ, Johnson AR, Yates DH. Complicated silicosis resulting from occupational exposure to engineered stone products. *Med J Aust. 2017;206(9):385-386. doi:*10.5694/mja16.00257
112. Wu WH, Feng YH, Min CY, et al. Clinical efficacy of tetrandrine in artificial stone-associated silicosis: A retrospective cohort study. *Front Med (Lausanne). 2023;10:1107967. doi:*10.3389/fmed.2023.1107967
113. Hoy RF, Jones C, Newbigin K, et al. Chest x-ray has low sensitivity to detect silicosis in artificial stone benchtop industry workers. *Respirology. 2024;29(9):785-794. doi:*10.1111/resp.14755
114. Di Benedetto F, Giaccherini A, Montegrossi G, et al. Chemical variability of artificial stone powders in relation to their health effects. *Sci Rep. 2019;9(1):6531. doi:*10.1038/s41598-019-42238-2
115. Thompson D, Qi C. Characterization of the Emissions and Crystalline Silica Content of Airborne Dust Generated from Grinding Natural and Engineered Stones. *Ann Work Expo Health. 2023;67(2):266-280. doi:*10.1093/annweh/wxac070
116. Carrieri M, Guzzardo C, Farcas D, Cena LG. Characterization of Silica Exposure during Manufacturing of Artificial Stone Countertops. *Int J Environ Res Public Health. 2020;17(12):4489. doi:*10.3390/ijerph17124489
117. Mandler WK, Knepp AK, Leonard SS, McKinney W, Keeley S, Qian Y. Characterization of engineered stone dust-induced reactive oxygen species generation and cytotoxicity in vitro. *J Toxicol Environ Health A. 2026;89(7):304-314. doi:*10.1080/15287394.2025.2562482
118. Ramkissoon C, Gaskin S, Thredgold L, Hall T, Rowett S, Gun R. Characterisation of dust emissions from machined engineered stones to understand the hazard for accelerated silicosis. *Sci Rep. 2022;12(1):4351. doi:*10.1038/s41598-022-08378-8
119. Seevnarain K, Burke N, Newbigin K. Case series analysis of eight underground tunnellers with chronic silicosis in Queensland. *Respirol Case Rep. 2021;9(6):e00756. doi:*10.1002/rcr2.756
120. Ophir N, Fireman E. Biometric monitoring in silicosis to detect early disease and monitor lung injury: not quite there. *ERJ Open Res. 2016;2(4):00093-02016. doi:*10.1183/23120541.00093-2016
121. Freckelton I. Banning Engineered Stone: A Landmark Australian Public Health Law Reform. *J Law Med. 2024;31(1):5-23.*
122. *Priego-Torres B, Sanchez-Morillo D, Khalili E, Conde-Sánchez MÁ, García-Gámez A, León-Jiménez A. Automated engineered-stone silicosis screening and staging using Deep Learning with X-rays. Comput Biol Med. 2025;191:110153. doi:*10.1016/j.compbiomed.2025.110153
123. Tomic D, Hoy RF, Sin J, et al. Autoimmune diseases, autoantibody status and silicosis in a cohort of 1238 workers from the artificial stone benchtop industry. *Occup Environ Med. 2024;81(8):388-394. doi:*10.1136/oemed-2024-109526
124. Menéndez-Navarro A, Cavalin C. [Australia's engineered stone ban. A sound decision]. *Arch Prev Riesgos Labor. 2024;27(2):119-124. doi:*10.12961/aprl.2024.27.02.01
125. Kirby T. Australia bans engineered stone to prevent silicosis. *Lancet Respir Med. 2024;12(4):e18. doi:*10.1016/S2213-2600(24)00007-9
126. Nogrady B. Australia bans engineered stone because of silicosis risk. *BMJ. 2023;383:2954. doi:*10.1136/bmj.p2954
127. Fireman EM, Fireman Klein E. Association between silicosis and autoimmune disease. *Curr Opin Allergy Clin Immunol. 2024;24(2):45-50. doi:*10.1097/ACI.0000000000000966
128. Requena-Mullor M, Alarcón-Rodríguez R, Parrón-Carreño T, Martínez-López JJ, Lozano-Paniagua D, Hernández AF. Association between Crystalline Silica Dust Exposure and Silicosis Development in Artificial Stone Workers. *Int J Environ Res Public Health. 2021;18(11):5625. doi:*10.3390/ijerph18115625
129. Ye Q. [Artificial stone-related silicosis--a public health event of global concern]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2023;41(7):483-485. doi:*10.3760/cma.j.cn121094-20220408-00186
130. Levin K, McLean C, Hoy R. Artificial stone-associated silicosis: clinical-pathological-radiological correlates of disease. *Respirol Case Rep. 2019;7(7):e00470. doi:*10.1002/rcr2.470
131. Hoy RF, Baird T, Hammerschlag G, et al. Artificial stone-associated silicosis: a rapidly emerging occupational lung disease. *Occup Environ Med. 2018;75(1):3-5. doi:*10.1136/oemed-2017-104428
132. Shen HS, Lai YT, Tsai HC, Chang SC. Artificial stone-associated silicosis with concurrent Cryptococcus infection. *Respirol Case Rep. 2021;9(6):e00765. doi:*10.1002/rcr2.765
133. Barber CM, Fishwick D, Seed MJ, Carder M, van Tongeren M. Artificial stone-associated silicosis in the UK. *Occup Environ Med. 2018;75(7):541. doi:*10.1136/oemed-2018-105028
134. Wu N, Xue C, Yu S, Ye Q. Artificial stone-associated silicosis in China: A prospective comparison with natural stone-associated silicosis. *Respirology. 2020;25(5):518-524. doi:*10.1111/resp.13744
135. Hoy R, Yates DH. Artificial stone-associated silicosis in Belgium: response. *Occup Environ Med. 2019;76(2):134. doi:*10.1136/oemed-2018-105563
136. Ronsmans S, Decoster L, Keirsbilck S, Verbeken EK, Nemery B. Artificial stone-associated silicosis in Belgium. *Occup Environ Med. 2019;76(2):133-134. doi:*10.1136/oemed-2018-105436
137. Orriols R, Torrente A, Campà MT, et al. Artificial Stone Silicosis. Progression and Laboral Impact After 3-years Follow-up. *Arch Bronconeumol. 2023;59(4):267-269. doi:*10.1016/j.arbres.2022.11.008
138. Shtraichman O, Kramer MR. [ARTIFICIAL STONE SILICOSIS: THE ISRAEL EPIDEMIC, CURRENT VIEW]. *Harefuah. 2017;156(8):517-521.*
139. *Cohen RA, Go LHT. Artificial Stone Silicosis: Removal From Exposure Is Not Enough. Chest. 2020;158(3):862-863. doi:*10.1016/j.chest.2019.11.029
140. León-Jiménez A, Hidalgo-Molina A, Conde-Sánchez MÁ, et al. Artificial Stone Silicosis: Rapid Progression Following Exposure Cessation. *Chest. 2020;158(3):1060-1068. doi:*10.1016/j.chest.2020.03.026
141. Jones RM. Artificial Stone Silicosis: Need for Improved Controls. *Ann Work Expo Health. 2022;66(2):137-138. doi:*10.1093/annweh/wxab118
142. Pérez-Alonso A, González-Domínguez ME, Novalbos-Ruiz JP, León-Jiménez A, Córdoba-Doña JA. Artificial Stone Silicosis: Accumulation of errors in the resurgence of an occupational disease: A qualitative study. *Work. 2021;70(2):433-442. doi:*10.3233/WOR-213582
143. Feary J, Devaraj A, Burton M, et al. Artificial stone silicosis: a UK case series. *Thorax. 2024;79(10):979-981. doi:*10.1136/thorax-2024-221715
144. Kurt OK, Karaketir S, Kılıçaslan Z, Akgün M. Artificial Stone Silicosis in Turkey: The First National Case Series Follows the Footsteps of Denim Sandblasting. *J Occup Environ Med. 2025;67(10):e768-e770. doi:*10.1097/JOM.0000000000003503
145. Barber C. Artificial stone silicosis arrives in the UK: a tragic case of history repeating. *Thorax. 2024;79(10):895-896. doi:*10.1136/thorax-2024-221806
146. Kramer MR, Blanc PD, Fireman E, et al. Artificial stone silicosis [corrected]: disease resurgence among artificial stone workers. *Chest. 2012;142(2):419-424. doi:*10.1378/chest.11-1321
147. Hoy RF. Artificial stone silicosis. *Curr Opin Allergy Clin Immunol. 2021;21(2):114-120. doi:*10.1097/ACI.0000000000000715
148. Ophir N, Shai AB, Alkalay Y, et al. Artificial stone dust-induced functional and inflammatory abnormalities in exposed workers monitored quantitatively by biometrics. *ERJ Open Res. 2016;2(1):00086-02015. doi:*10.1183/23120541.00086-2015
149. Ophir N, Fireman E, Kramer MR, Korenstein R. Artificial stone dust affects oxidative stress and epithelial barrier in CALU 3 cells. *Exp Lung Res. 2025;51(1):81-90. doi:*10.1080/01902148.2025.2567064
150. Leso V, Fontana L, Romano R, Gervetti P, Iavicoli I. Artificial Stone Associated Silicosis: A Systematic Review. *Int J Environ Res Public Health. 2019;16(4):568. doi:*10.3390/ijerph16040568
151. Jiménez-Gómez G, Campos-Caro A, García-Núñez A, Gallardo-García A, Molina-Hidalgo A, León-Jiménez A. Analysis of Immune Cell Subsets in Peripheral Blood from Patients with Engineered Stone Silica-Induced Lung Inflammation. *Int J Mol Sci. 2024;25(11):5722. doi:*10.3390/ijms25115722
152. Tustin AW, Kundu-Orwa S, Lodwick J, Cannon DL, McCarthy RB. An outbreak of work-related asthma and silicosis at a US countertop manufacturing and fabrication facility. *Am J Ind Med. 2022;65(1):12-19. doi:*10.1002/ajim.23304
153. Weller M, Clemence D, Lau A, Rawlings M, Robertson A, Sankaran B. An assessment of worker exposure to respirable dust and crystalline silica in workshops fabricating engineered stone. *Ann Work Expo Health. 2024;68(2):170-179. doi:*10.1093/annweh/wxad072
154. Apte SH, Tan ME, Lutzky VP, et al. Alveolar crystal burden in stone workers with artificial stone silicosis. *Respirology. 2022;27(6):437-446. doi:*10.1111/resp.14229
155. Gandhi SA, Heinzerling A, Flattery J, et al. Active Surveillance of Engineered Stone Workers Facilitates Early Identification of Silicosis: A Discussion of Surveillance of Occupational Lung Diseases. *New Solut. 2023;33(2-3):119-129. doi:*10.1177/10482911231189503
156. Edwards G. Accelerated Silicosis-An Emerging Epidemic Associated with Engineered Stone. Comment on Leso, V. et al. Artificial Stone Associated Silicosis: A Systematic Review. Int. J. Environ. Res. Public Health 2019, 16 (4), 568, doi:10.3390/ijerph16040568. *Int J Environ Res Public Health. 2019;16(7):1179. doi:*10.3390/ijerph16071179
157. Huang LM, Zhou SW, Chen ZD, Shi J, Bian LQ, Mao L. [A systematic review on the clinical characteristics and treatment outcomes of accelerated silicosis]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2025;43(6):401-409. doi:*10.3760/cma.j.cn121094-20250110-00016
158. Guo ZY, Wu N, Wang JW, Ma RM, Ye Q. [A systematic review of the epidemiology and clinical characteristics of artificial stone-related silicosis and dust protection]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2023;41(7):509-517. doi:*10.3760/cma.j.cn121094-20220408-00185
159. Fazio JC, Viragh K, Houlroyd J, Gandhi SA. A review of silicosis and other silica-related diseases in the engineered stone countertop processing industry. *J Occup Med Toxicol. 2025;20(1):9. doi:*10.1186/s12995-025-00455-8
160. Akgün M, Kar Kurt Ö. A New Global Epidemic of Silicosis Due to Artificial Stone: is Türkiye Next? *Thorac Res Pract. 2025;26(4):215-216. doi:*10.4274/ThoracResPract.2025.2025-4-2
161. Manglani R, Akbar S, Beasley MB, Epelbaum O. A 44-year-old stone worker with progressive dyspnea: lessons from a new twist on an old foe. *Monaldi Arch Chest Dis. 2022;93(2). doi:*10.4081/monaldi.2022.2345